AS 3882—1991

# Australian Standard®

# Rheology—Glossary of terms and classification of properties

This Australian Standard was prepared by Committee CH/33, Rheology. It was approved on behalf of the Council of Standards Australia on 24 January 1991 and published on 13 May 1991.

The following interests are represented on Committee CH/33:

Australian Society of Rheology AUSTROADS Confederation of Australian Industry CSIRO, Division of Applied Physics CSIRO, Division of Forestry and Forest Products Department of Community Services and Health (Commonwealth) Monash University Plastics and Rubber Institute Royal Melbourne Institute of Technology University of Melbourne University of Sydney Victorian College of Pharmacy

This Standard was issued in draft form for comment as DR 89163.

**Review of Australian Standards.** To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

AS 3882-1991

# Australian Standard®

# Rheology—Glossary of terms and classification of properties

First published as AS Z61—1970. Revised and redesignated AS 3882—1991.

PUBLISHED BY STANDARDS AUSTRALIA (STANDARDS ASSOCIATION OF AUSTRALIA) 1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 6786 4

This Standard was prepared by the Standards Australia Committee on Rheology, under the direction of the Chemical Standards Board, as a major revision of AS Z61—1970, *Glossary of terms and classification of properties relating to the deformation and flow of materials*. The classification system used in AS Z61 has been replaced by a system which allows terms to be assigned to materials which show particular rheological behaviour.

In its preparation, reference was made to definitions of rheological terms from various sources, in particular BS 5168:1975, Glossary of rheological terms.

#### © Copyright - STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

## CONTENTS

	Page		
FOREWORD	4		
SECTION 1 GLOSSARY OF RHEOLOGICAL TERMS			
GROUP 1 BASIC DEFINITIONS			
<ul> <li>1.1 DISCIPLINES</li> <li>1.2 GEOMETRY</li> <li>1.3 KINEMATICS</li> <li>1.4 DYNAMICS</li> <li>1.5 STRESS-STRAIN RELATIONSHIPS</li> <li>1.6 ENERGY</li> <li>1.7 TIME EFFECTS</li> <li>1.8 YIELD AND FRACTURE PROPERTIES</li> <li>1.9 EXPERIMENTAL CONDITIONS</li> </ul>	5 5 6 7 7 8 8		
GROUP 2 BEHAVIOUR, PROPERTIES AND MODELS			
<ul> <li>2.1 LINEAR MATERIALS</li> <li>2.2 FLUIDS</li> <li>2.3 INELASTIC, TIME-INDEPENDENT, NON-YIELDING FLUIDS</li> <li>2.4 INELASTIC, TIME-INDEPENDENT, YIELDING FLUIDS</li> <li>2.5 INELASTIC, TIME-DEPENDENT FLUIDS</li> <li>2.6 VISCOELASTIC FLUIDS</li> <li>2.7 SOLIDS</li> <li>2.8 LINEAR ELASTIC SOLIDS</li> <li>2.9 NON-LINEAR ELASTIC SOLIDS</li> <li>2.10 VISCOELASTIC SOLIDS</li> <li>2.11 LINEAR VISCOELASTIC SOLIDS</li> <li>2.12 PLASTIC MATERIALS</li> <li>2.13 WORK-SOFTENING PLASTIC MATERIALS</li> <li>2.14 WORK-HARDENING PLASTIC MATERIALS</li> </ul>	$ \begin{array}{c} 10\\ 10\\ 11\\ 12\\ 12\\ 12\\ 13\\ 14\\ 14\\ 14\\ 14\\ 14\\ 14\\ 14\\ 14\\ 14\\ 14$		
SECTION 2 SI UNITS USED FOR RHEOLOGICAL QUANTITIES			
2.1       SCOPE OF SECTION         2.2       UNITS	15 15		
SECTION 3 CLASSIFICATION OF RHEOLOGICAL PROPERTIES OF MATERIALS			
<ul> <li>3.1 SCOPE OF SECTION</li> <li>3.2 CLASSIFICATION TESTS AND RESPONSES</li> <li>3.3 KEY TO RHEOLOGICAL BEHAVIOUR OF MATERIALS</li> <li>3.4 RHEOLOGICAL BEHAVIOUR</li> </ul>	16 16 16 18		
INDEX OF TERMS DEFINED IN SECTION 1			

#### FOREWORD

The prime purpose of this Standard is to promote uniformity in terminology used in research reports and industrial documentation relating to the deformation and flow properties of liquid and solid materials.

Deformation and flow properties are most important in the use of natural and manufactured products, and many industries must evaluate and control these properties during manufacture or processing. The rheological behaviour of materials is often complex; results of measurements made on different instruments may therefore not be comparable. The quantities required to be known or controlled are often ill-defined, and different industries follow different traditions. Standard systems of rheological nomenclature have been proposed in various countries and discussed at international level, but none has yet gained global acceptance. In the absence of international agreement, it is desirable that uniformity of terminology be maintained in Australia.

The Standard is divided into three sections. Section 1 gives definitions of terms relevant to the properties of fluids and solids under conditions of deformation and flow. Section 2 lists some SI units relevant to rheological measurements. Section 3 outlines a scheme for classifying fluid and solid materials according to the rheological properties they exhibit when subjected to specified tests.

The definitions are based on what is known through existing experimental data and are not tied to theories on the microstructure of materials. They are arranged in various logical groups to facilitate the location of an appropriate term to describe a known property; an alphabetical index is also provided. Widely, but not exclusively, used symbols are recommended for some terms. Where more than one term is in common use with the same defined meaning, the preferred term is the one shown in bold type.

The terms listed relate to phenomenological rheology, i.e. to observations and measurements on such a scale that heterogeneities and discontinuities are of insignificant dimensions and may be ignored, the material being treated as if it were a continuum. Thus, similar descriptions may apply to materials having microscopic or molecular structures that differ considerably.

Because of the wide application of rheological terms, it has been found necessary to restrict the definitions to those terms which are in relatively common use. Some terms which have limited application, or which are used only in specific industries, are listed in the alphabetical index, where reference is made to the standard definition to which they are most closely related.

The classification scheme and key allow suitable models and terms to be identified from observed rheological behaviour. The classification is for idealized materials. Real materials can be said to behave like certain ideal bodies for a given time-scale, testing equipment and environmental conditions. If any of these conditions is changed, the properties of the real material may become qualitatively different and may require a different place in the classification.

## STANDARDS AUSTRALIA

### Australian Standard

## Rheology—Glossary of terms and classification of properties

# SECTION 1 GLOSSARY OF RHEOLOGICAL TERMS

## **GROUP 1 BASIC DEFINITIONS**

No	Term	Definition	
1.1 DISCIPLINES			
1-01-01	rheology	The study of the deformation of materials, including flow.	
1-01-02	phenomenological rheology	The rheology that treats a material as a continuum that is characterized by experimental rheological parameters, without consideration of the structure of the material.	
1-01-03	microrheology	The rheology in which account is taken of the structure of materials.	
1-01-04	chemorheology	Rheology as influenced by chemical change within the material.	
1.2 GEOMETRY			
1-02-01	principal axes	Axes of a (tensor) quantity such as stress, strain or strain rate along which there are no tangential components of that quantity.	
1-02-02	normal component	The component of a vector at right angles to the planar element to which it applies.	
1-02-03	tangential component	The component of a vector parallel to the planar element to which it applies.	
1-02-04	isotropic	Having the same properties in all directions.	
1-02-05	anisotropic	Not having the same properties in all directions.	
1. KINEMATICS			
1-03-01	displacement	The vector defining the change of position of a point.	
1-03-02	velocity gradient	The derivative of the velocity of a fluid element with respect to a space coordinate.	
		NOTE: Where the deformation does not include rotation, the velocity gradient is numerically equal to the shear strain rate.	
1-03-03	deformation	Change of mutual distances or orientations between different points of a body.	
1-03-04	deformation gradient	The derivative of the deformation at a point with respect to a space coordinate.	
1-03-05	shear deformation	A deformation that changes the shape, but not the volume, of the body.	
		NOTE: A deformation may combine a shear deformation with a change of length or volume.	
1-03-06	pure shear deformation	A shear deformation without rotation.	
1-03-07	simple shear deformation	A shear deformation consisting of parallel relative displacements of parallel cross-sections of the body.	
		NOTE: A simple shear deformation is the sum of a pure shear deformation and a rotation.	
1-03-08	torsion	The deformation of a body, in which parallel cross-sections are rotated relative to each other.	
1-03-09	elongation	Increase in length.	
1-03-10	strain	Deformation relative to a reference configuration.	
		Symbol: ε	