

Australian Standard[®]

**Biodegradability—Organic
compounds in an aqueous medium**

**Part 7: Determination by
semi-continuous activated
sludge method (SCAS)**

[ISO title: Water quality — Evaluation of the aerobic biodegradability of organic compounds in an aqueous medium — Semi-continuous activated sludge method (SCAS)]

This Australian Standard was prepared by Committee MS/56, Biodegradability of Materials. It was approved on behalf of the Council of Standards Australia on 28 August 1995 and published on 5 January 1996.

The following interests are represented on Committee MS/56:

Australian and New Zealand Environment and Conservation Council

Australian Chemical Specialties Manufacturers Association

Australian Conservation Foundation

Australian Federation of Consumer Organisations

Federal Bureau of Consumer Affairs

Friends of the Earth

Griffith University

National Association of Testing Authorities, Australia

Plastics and Chemicals Industry Association

The Royal Australian Chemical Institute

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 94147.

Australian Standard[®]

**Biodegradability—Organic
compounds in an aqueous medium**

**Part 7: Determination by
semi-continuous activated
sludge method (SCAS)**

PREFACE

This Standard was prepared by the Standards Australia Committee MS/56 on Biodegradability of Materials.

It is technically equivalent to ISO 9887:1992, *Water quality—Evaluation of the aerobic biodegradability of organic compounds in an aqueous medium—Semi-continuous activated sludge method (SCAS)*.

This is Part 7 in a series of Standards which give guidance and methods to determine the biodegradability of organic compounds in an aqueous medium with the objective of specifying a method for the determination of the 'inherent' biodegradability of an organic compound. The procedure involves the measurement of the dissolved organic carbon of effluent from a semi-continuous activated sludge unit dosed with the test compound compared with effluent from a control unit. Determination of the difference in dissolved organic content between these two units is assumed to be due to the test compound. The percentage degradation/elimination calculated from this difference and the concentration of test sample added to the sewage allows evaluation of the biodegradability of the test compound.

The term 'informative' has been used in this Standard to define the application of the appendix to which it applies. An 'informative' appendix is only for information and guidance.

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

	Page
1 SCOPE	4
2 REFERENCED DOCUMENTS	4
3 DEFINITIONS	4
4 PRINCIPLE	5
5 TEST ENVIRONMENT	5
6 REAGENTS	5
7 APPARATUS	6
8 PROCEDURE	6
9 CALCULATION AND EXPRESSION OF RESULTS	9
10 TEST REPORT	10

APPENDICES

A	EXAMPLES OF RESULTS OF SCAS TESTS ON VARIOUS COMPOUNDS .	11
B	TYPICAL CONTROL VALUES	12

STANDARDS AUSTRALIA

Australian Standard

Biodegradability—Organic compounds in an aqueous medium**Part 7: Determination by semi-continuous activated sludge method (SCAS)**

1 SCOPE This Standard specifies a method for the evaluation of the ‘inherent’ biodegradability of organic compounds. The conditions described in this Standard are much more favourable for biodegradation than those methods for biodegradability described in AS 4351.2, AS 4351.3 and AS 4351.4.

The method applies to organic compounds which are—

- (a) soluble at the concentration used under the test conditions;
- (b) non-volatile, or which have a negligible vapour pressure under the test conditions;
- (c) not lost by foaming from the test solution;
- (d) not significantly adsorbable on glass and activated sludge; and
- (e) not inhibitory to the test microorganisms at the concentration chosen for the test. Inhibitory effects can be determined by using a suitable test method (e.g. see ISO 8192). If the test compound is toxic, the test concentration has to be lower or a pre-exposed inoculum can be used.

NOTE: Additionally, or alternatively, the semi-continuous activated sludge (SCAS) units may be used to provide sludge exposed to the test compound, in order to see whether the sludge becomes adapted, to be used as inocula in other biodegradation tests.

WARNING AND SAFETY PRECAUTIONS: ACTIVATED SLUDGE AND SEWAGE MAY CONTAIN POTENTIALLY PATHOGENIC ORGANISMS. THEREFORE APPROPRIATE PRECAUTIONS SHOULD BE TAKEN WHEN HANDLING THEM. TOXIC TEST COMPOUNDS AND THOSE WHOSE PROPERTIES ARE UNKNOWN SHOULD BE HANDLED WITH CARE.

2 REFERENCED DOCUMENTS The following documents are referred to in this Standard:

AS

- 4351 Biodegradability—Organic compounds in an aqueous medium
- 4351.2 Part 2: Determination by analysis of dissolved organic carbon (DOC)
- 4351.3 Part 3: Determination by oxygen demand in a closed respirometer
- 4351.4 Part 4: Determination by analysis of released carbon dioxide

ISO

- 8192 Water quality—Test for inhibition of oxygen consumption by activated sludge
- 8245 Water quality—Guidelines for the determination of total organic carbon (TOC)

3 DEFINITIONS For the purpose of this Standard, the definitions below apply.

3.1 Concentration of suspended solids (of an activated sludge)—the amount of solids obtained by filtration or centrifugation of a known volume of sludge under specified conditions and drying at 105°C to constant weight.