

AS 2865—1995  
[NOHSC:1009(1994)]

Australian Standard®  
Worksafe Australia National Standard

---

**Safe working in a confined space**

---

This Australian Standard was prepared by Committee SF/37, Work in Confined Spaces. It was approved on behalf of the Council of Standards Australia on 7 November 1994 and published on 5 January 1995.

---

The following interests are represented on Committee SF/37:

Amalgamated Metal Workers Union  
Australian and New Zealand Society of Occupational Medicine  
Australian Chamber of Commerce and Industry  
Australian College of Occupational Medicine  
Australian Institute of Occupational Hygienists  
Australian Institute of Petroleum  
Australian Maritime Safety Authority  
Department of Employment, Industrial Relations and Training, Tas.  
Department of Employment, Vocational Education, Training and  
Industrial Relations, Qld  
Department of Labour, New Zealand  
Department of Occupational Health, Safety and Welfare of Western Australia  
Electricity Supply Association of Australia  
Gas and Fuel Corporation of Victoria  
Metal Trades Industry Association of Australia  
National Occupational Health and Safety Commission  
Occupational Health and Safety Authority, Vic.  
Plastics and Chemicals Industry Association  
Telecom Australia  
WorkCover Authority of N.S.W.

---

**Review of Australian Standards.** To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

---

*This Standard was issued in draft form for comment as DR 92191.*

AS 2865—1995

Australian Standard®  
Worksafe Australia National Standard

---

**Safe working in a confined space**

---

First published as AS 2865—1986.  
Second edition 1995.

PUBLISHED BY STANDARDS AUSTRALIA  
(STANDARDS ASSOCIATION OF AUSTRALIA)  
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 9473 X

## PREFACE

This Standard was prepared jointly by representatives of the National Occupational Health and Safety Commission and the Standards Australia Committee on Work in Confined Spaces to supersede AS 2865—1986. The group developing this Standard took into consideration the Victorian Occupational Health and Safety Commission's draft regulation and code of practice.

The National Occupational Health and Safety Commission is a tripartite body established by the Commonwealth Government to develop, facilitate and implement a national occupational health and safety strategy.

This includes Standards development, the development of hazard-specific preventive strategies, research, training, information collection and dissemination and the development of common approaches to occupational health and safety legislation.

The National Commission comprises representatives of the peak employee and employer bodies—the Australian Council of Trade Unions and the Confederation of Australian Industry—as well as the Commonwealth, State and Territory governments.

Consistent with the National Commission's philosophy of consultation, tripartite standing committees have been established to deal with issues relating to standards, development, research and the mining industry. Expert groups and reference groups may be established to provide advice to the standing committee on those issues with which the National Commission is concerned.

The Standard is formulated in such a way that, depending on jurisdictional requirements, the Clauses highlighted in boxes may be used as the basis of regulations and the remaining Clauses form a code of practice. Alternatively, the Standard may be called up in its entirety in a legislative framework.

The common essential requirements are those contained in boxes. An organisation which does not comply with the Standard in all respects would still be required to meet the requirements in the boxes.

The Standard was prepared to meet the need for requirements and procedures for the prevention of occupational illness, injuries and fatalities associated with persons entering and working in a confined space. It is designed not only to ensure that confined spaces are made safe for those entering them, but also to highlight the likely hazards associated with such work areas and the relevant safe work processes necessary to deal with these hazards.

The Standard emphasizes the responsibilities for safety before entry and during the entire operation. Such responsibilities cover conditions of work for an organisation's own employees as well as for any contractors or other persons on the premises. This Standard requires that adequate steps be taken to eliminate or control hazards. It also requires that all persons involved in the entry of a confined space be trained and instructed on the nature of the hazards and the precautions to be followed.

The significant changes made in this edition are as follows:

- (a) An increase in the level of flammable contaminant permitted to be present in the atmosphere of a confined space before evacuation of the confined space becomes necessary from 5 percent of the lower explosive level (LEL) to 10 percent of the LEL, provided that a continuous monitoring flammable gas detector is in use.
- (b) A requirement to perform a risk assessment of confined spaces before carrying out any work which requires entry to the confined space. Where a number of identical confined spaces are present, a single (generic) assessment is permitted where the risks are considered to be the same for each space.
- (c) The use of an entry permit as the form of approval for entry to the confined space. The use of documented standing orders had not reached widespread acceptance.

- (d) An increase in the minimum concentration of oxygen in the atmosphere within a confined space from 18 percent to 19.5 percent by volume. In addition, a maximum concentration of oxygen in the atmosphere within a confined space of 23.5 percent by volume has been specified.

Appendices are included to provide guidance for the conduct of specific tasks in a confined space (for example, cleaning and hot work). These recommendations list only the special additional precautions that need to be followed when such tasks are undertaken in a confined space.

During development of this Standard, reference was made to the documents listed below and acknowledgment is made of the assistance received therefrom:

1. INTERNATIONAL LABOUR OFFICE (ILO), *Encyclopaedia of Occupational Health and Safety—Confined Spaces*.
2. *Entering Tanks and Other Enclosed Spaces*, CIS Information Sheet No. 6.
3. *Safety Requirements for Working in Confined Spaces*, ANSI Z117.1–1977.
4. *Criteria for a Recommended Standard—Working in Confined Spaces*, United States National Institute for Occupational Safety and Health (NIOSH).
5. UNITED KINGDOM HEALTH AND SAFETY EXECUTIVE, Guidance Note GS5.
6. NATIONAL OCCUPATIONAL HEALTH AND SAFETY COMMISSION. *Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment* [NOHSC:1003(1991)]. Australian Government Publishing Service, Canberra, 1991.

© Copyright — COMMONWEALTH OF AUSTRALIA AND STANDARDS AUSTRALIA

This work is copyright. Apart from any use as permitted under the *Copyright Act 1968*, no part may be reproduced by any process without prior permission in writing from the Director, Publishing and Marketing, Australian Government Publishing Services and from Standards Australia.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty.

## CONTENTS

	<i>Page</i>
1 SAFE WORKING IN A CONFINED SPACE . . . . .	5
2 OBJECTIVES . . . . .	5
3 SCOPE . . . . .	5
4 APPLICATION . . . . .	5
5 REFERENCED DOCUMENTS . . . . .	5
6 DEFINITIONS . . . . .	6
7 DESIGN, MANUFACTURE, SUPPLY AND MODIFICATION . . . . .	7
8 CONSULTATION . . . . .	8
9 HAZARD IDENTIFICATION . . . . .	8
10 RISK ASSESSMENT . . . . .	9
11 CONTROL MEASURES . . . . .	10
12 SAFETY OF THE ATMOSPHERE . . . . .	15
13 RISK CONTROL . . . . .	16
14 EDUCATION AND TRAINING . . . . .	20
15 RESCUE AND FIRST AID . . . . .	22
16 RECORD KEEPING . . . . .	22
 APPENDICES	
A LIST OF REFERENCED AND RELATED DOCUMENTS . . . . .	23
B GENERAL DESIGN CONSIDERATIONS . . . . .	25
C SAMPLE RISK ASSESSMENTS . . . . .	27
D ADDITIONAL RECOMMENDATIONS FOR THE CLEANING OF CONFINED SPACES . . . . .	30
E ADDITIONAL RECOMMENDATIONS FOR THE CONDUCT OF HOT WORK IN CONFINED SPACES . . . . .	32
F TYPICAL CHECKLIST . . . . .	35
G SAMPLE PERMIT FORM FOR CONFINED SPACE ENTRY . . . . .	37
H ADDITIONAL RECOMMENDATIONS FOR ATMOSPHERIC MONITORING .	40
I ADDITIONAL RECOMMENDATIONS FOR PROVISION AND USE OF PERSONAL PROTECTIVE AND SAFETY EQUIPMENT . . . . .	43

## STANDARDS AUSTRALIA/WORKSAFE AUSTRALIA

### Australian Standard

### Safe working in a confined space

**1 SAFE WORKING IN A CONFINED SPACE** This Standard may be cited as the *Joint National Standard for Safe Working in a Confined Space*.

**2 OBJECTIVES** The objectives of this Standard are to provide guidance to:

- (a) eliminate or, where this is not practicable, minimize the need to enter confined spaces; and
- (b) provide for the health and safety of all persons who need to enter or work in confined spaces by preventing exposure to hazards which may otherwise be experienced when working in a confined space, and thereby prevent collapse, injury, illness or death arising from exposure to those hazards.

**3 SCOPE** This Standard sets out the particular requirements and procedures for designers, manufacturers, suppliers, modifiers, employers, persons in control and employees to ensure the health and safety of any persons required to enter or work in a confined space. For the purpose of this Standard, a person whose upper body or head is within a confined space is considered to have entered the confined space.

NOTE: This is not intended to prevent a person from inserting their hand or arm while holding a test instrument or probe into a confined space as part of the evaluation prior to entry.

Requirements and procedures for ensuring general occupational health and safety, for example, welding safety and prevention of slips and falls, are dealt with in other Standards and regulations rather than being specifically addressed in this Standard. It should be noted that a confined space may exacerbate other hazards, for example, noise or heat stress.

This Standard is framed to help designers, manufacturers, suppliers, modifiers and users where confined spaces are involved to achieve a high safety standard. It is not exhaustive in its coverage, but it is intended to cover those areas which are of particular concern in the workplace. It will be necessary for persons who require further information to research various other legislation, standards, codes and guidance notes.

This Standard is not intended to cover situations which are not at atmospheric pressure, such as work in decompression chambers. At pressures significantly higher or lower than the normal atmospheric pressure, expert guidance should be sought.

Specific workplaces, for example, dangerous goods storage areas, may be subject to other standards, regulations or codes of practice.

**4 APPLICATION** This Standard is applicable to confined spaces as defined in Section 6.2. The Standard does not apply to underground mining and tunnelling construction, nor does it apply to work which is carried out at other than normal atmospheric pressure.

Emergency services are exempted from the written procedures for the duration of the emergency.

**5 REFERENCED DOCUMENTS** A list of referenced documents is given in Appendix A.