

Australian Standard[®]

Pipe threads of Whitworth form

Part 2: Fastening pipe threads

This Australian Standard was prepared by Committee ME/28, Screw Threads. It was approved on behalf of the Council of Standards Australia on 15 October 1991 and published on 17 January 1992.

The following interests are represented on Committee ME/28:

Confederation of Australian Industry
Department of Defence
Division of Applied Physics, CSIRO
Fasteners Institute of Australia
Federal Chamber of Automotive Industries
Institute of Engineers, Australia
Institute of Production Engineers
Metal Trades Industry Association of Australia
Railways of Australia Committee
Technical and Further Education Commission, N.S.W.

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 91074.

STANDARDS AUSTRALIA

RECONFIRMATION

OF

AS 1722.2—1992

Pipe threads of Whitworth form

Part 2: Fastening pipe threads

RECONFIRMATION NOTICE

Technical Committee ME-029 has reviewed the content of this publication and in accordance with Standards Australia procedures for reconfirmation, it has been determined that the publication is still valid and does not require change.

Certain documents referenced in the publication may have been amended since the original date of publication. Users are advised to ensure that they are using the latest versions of such documents as appropriate, unless advised otherwise in this Reconfirmation Notice.

Approved for reconfirmation in accordance with Standards Australia procedures for reconfirmation on 16 June 2017.

The following are represented on Technical Committee ME-029:

Association of Accredited Certification Bodies
Association of Wall and Ceiling Industries of Australia
Australian Chamber of Commerce and Industry
Australian Engineered Fasteners and Anchors Council
Australian Industry Group
Australian Steel Institute
AUSTROADS
Bureau of Steel Manufacturers of Australia
Galvanizers Association of Australia
Materials Australia
National Association of Steel-Framed Housing
National Association of Testing Authorities Australia
New Zealand Heavy Engineering Research Association
Society of Automotive Engineers- Australasia
Steel Construction New Zealand
Swinburne University of Technology

NOTES

AS 1722.2—1992

Australian Standard[®]

Pipe threads of Whitworth form
Part 2: Fastening pipe threads

First published as AS B154—1958
(endorsement of BS 2779—1956 without amendment).
Revised and redesignated AS 1722.2—1975.
Second edition 1989.
Third edition 1992.

PUBLISHED BY STANDARDS AUSTRALIA
(STANDARDS ASSOCIATION OF AUSTRALIA)
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 7162 4

PREFACE

This Standard was prepared by the Standards Australia Committee on Screw Threads to supersede AS 1722.2—1989. This Standard is technically equivalent to ISO 228/1, *Pipe threads where pressure-tight joints are not made on the threads*, Part 1: *Designation, dimensions and tolerances*, and ISO 228/2, *Pipe threads where pressure-tight joints are not made on the threads*, Part 2: *Verification by means of limit gauges*.

The 1989 edition which was based on the ISO 228/1 and 228/2 documents contained certain gauging/tolerance errors and omissions which could result in improper assessment of thread's geometric qualities and was withdrawn.

No changes to basic dimensions in the 1992 edition have been made with regard to the 1975 edition. Components made to the current edition are functionally identical and interchangeable with components made to 1975 edition.

Gauges manufactured to comply with the limits specified in AS 1722.2—1975 were intended to check the same basic dimensions as those listed in AS 1722.2 —1992 and may therefore continue to be used until they become worn beyond the permitted limits.

The principal differences between this edition and the 1975 edition are as follows:

- (a) The design features of screw gauges are now explained.
- (b) Modified tables of dimensions for fastening pipe threads.
- (c) Modified tables for screw gauge limits.
- (d) Figures for thread profiles of GO ring gauges and their check plugs, relative positions of pitch diameter tolerance zones for NOT GO ring gauges and their check plugs, are now included.
- (e) GO gauges now have wear allowance.
- (f) Symbols now align with ISO practice.
- (g) Provision for the use of roller type screw calliper gauges which are currently used in Australian practice.
- (h) Setting plugs for GO and NOT GO screw calliper gauges are included.

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

	<i>Page</i>
SECTION 1 SCOPE AND GENERAL	
1.1 SCOPE	4
1.2 REFERENCED DOCUMENTS	4
1.3 DEFINITIONS	4
1.4 SYMBOLS	4
1.5 CLASSIFICATION	5
1.6 DESIGNATION	5
SECTION 2 THREAD PROFILES AND DIMENSIONS	
2.1 PROFILE OF THREAD	6
2.2 DIMENSIONS AND TOLERANCES	6
SECTION 3 GAUGES AND GAUGING PRACTICE	
3.1 SCOPE OF SECTION	8
3.2 TYPES OF GAUGES	8
3.3 GENERAL CONSIDERATIONS	8
3.4 GAUGES FOR EXTERNAL THREADS AND THEIR CHECK PLUGS	8
3.5 GAUGES FOR INTERNAL THREADS	10
3.6 DESIGN FEATURES OF SCREW GAUGES	10
APPENDIX A SCREW GAUGE LIMITS	21

STANDARDS AUSTRALIA

Australian Standard
Pipe threads of Whitworth form

Part 2: Fastening pipe threads

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE This Standard specifies thread form, thread dimensions, tolerance, and associated gauges and gauging practices for threads used for fastening pipes.

The Standard covers pipe threads for pipe of nominal bore size 4 mm to 150 mm.

NOTES:

- 1 Where these threads are used on pipes for conveying fluids, the sealing is effected by means other than thread interference (e.g. gaskets on flanges or O-rings).
- 2 Pipe threads of Whitworth form where pressure tight joints are made on the threads are specified in AS 1722.1.

1.2 REFERENCED DOCUMENTS The following Standards are referred to in this Standard:

AS

1098	Roller-type screw calliper gauges
1722	Pipe threads of Whitworth form
1722.1	Part 1: Sealing pipe threads
3501	Parallel screw threads of Whitworth form (BSW and BSF) and associated gauges and gauging practice
3528	Cylindrical screw threads—Vocabulary
B129	Designs for geometric limit gauges (plain and screwed in inch units)

1.3 DEFINITIONS For the purpose of this Standard, the definitions given in AS 3528 apply.

1.4 SYMBOLS The symbols used in this Standard are listed below.

Symbol	Term
b_3	width of clearance groove at the major and minor diameter, respectively, of the thread profile with truncated flanks
D	basic major diameter of the internal thread ($= d$)
D_1	basic minor diameter of the internal thread ($= D - 1.280\ 654P = d_1$)
$D_{1,\max}$	maximum minor diameter of internal thread
$D_{1,\min}$	minimum minor diameter of internal thread
D_2	basic pitch diameter of the internal thread ($= D - 0.640\ 327P = d_2$)
d	basic major diameter of the external thread
$d_{\max}$	maximum major diameter of external thread
$d_{\min}$	minimum major diameter of external thread
d_1	basic minor diameter of the external thread ($= d - 1.280\ 654P = D_1$)
d_2	basic pitch diameter of the external thread ($= d - 0.640\ 327P = D_2$)
H	height of the triangle of the thread profile
h	height of the thread profile with rounded crests and roots
m	distance between the middle of the tolerance zone (T_R) of the threaded ring gauge and the middle of the tolerance zone (T_{CP}) of the GO check plug
P	pitch
R	radius of rounded crests and roots
S	tolerance for b_3
s	displacement of the clearance groove with truncated flanks