Under Revision See DR95009 superseded by AS/NZS 1972:1996

AS 1972-1991

Australian Standard®

Electric cables—Underground coal mines—Other than reeling and trailing cables



STANDARDS AUSTRALIA

This Australian Standard was prepared by Committee EL/3, Electric Wires and Cables. It was approved on behalf of the Council of Standards Australia on 12 July 1991 and published on 16 September 1991.

The following interests are represented on Committee EL/3:

Australian Electrical and Electronic Manufacturers Association
Department of Defence
Department of Minerals and Energy (New South Wales)
Electrical Contractors Associations of Australia
Electrical regulatory authorities
Electricity Supply Association of Australia
Railways of Australia Committee
Testing interests

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up-to-date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia'

Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

Australian Standard®

Electric cables—Underground coal mines—Other than reeling and trailing cables

First published as AS C412—1970. Second edition 1973. Revised and redesignated AS 1972—1976. AS C412—1973 withdrawn 1978. Second edition AS 1972—1991.

PREFACE

This Standard was prepared by the Standards Australia Committee on Electric Wires and Cables and supersedes AS 1972—1976, Cables for use below ground in coal mines (other than trailing cables).

The Standard applies to cables and flexible cables intended for use below ground in coal mines, but does not apply to reeling and trailing cables, which are covered by AS 1802, Reeling and trailing electric cables for underground coal mining purposes. This Standard includes requirements for cables intended for fixed apparatus (e.g. power, lighting and control circuitry); impregnated paper insulated and polymeric insulated power cables for use at working voltages of 1.9/3.3 kV up to and including 19/33 kV; feeder cables for connecting equipment to substations; and cables for both the internal and external wiring on machines.

In each case, the requirements are supplementary to those in other Australian Standards for cables and flexible cords. These extra requirements are necessary to meet the more onerous conditions existing for cables used below ground in coal mines.

Standards Australia points out that this Standard is required to be used in conjunction with the requirements of the regulatory authorities administering regulations for the use of electricity in underground coal mines.

The Standard now incorporates cables manufactured in accordance with AS 3178 (in Section 2) and AS 1429 (in Section 3). Rationalization of machine cables (Section 5) has been effected, deleting Types 4 and 5 (that incorporated asbestos) and a new Type 8 cable has been introduced to replace Type 4. Appendices have been added covering selection of paper or cross-linked polyethylene (XLPE) cables, machine cables with critical overall diameters (Section 5) and information to be supplied with enquiry and order.

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

				~~										
	ON 1 SCO													
1.1 1.2	SCOPE APPLICA		••••	••••	••••	••••	• • • • •	••••	••••	••••	••••	••••	••••	••••
1.3	REFEREN			 MI I'	 FNTS			••••		••••	••••	••••	••••	••••
1.4	DEFINITI					••••	••••	••••	••••	••••	••••	••••	••••	••••
ECTIO				****					יייי	••••	••••	••••	••••	••••
2.1	SCOPE O							AKA						
2.2	DESIGN				••••	••••			••••	••••		••••	••••	••••
2.3	CONSTRU					••••			••••			••••		
2.4	CONDUC				••••	••••	••••		••••		••••	••••		
2.5	. FILLERS				••••	••••						••••	••••	••••
2.6 .	SCREENS					••••						••••		••••
2.7	ARMOUR	·				••••		••••	••••	••••				••••
2.8	TESTS	••••	••••		••••	••••	••••	••••		••••	• • • • •	••••		
ECTIO	N 3 ARM	10UR	ED	CAB	LES	FOR	USE	AT	WO	RKIN	iG V	OLTA	GES	OF
		3.3 kV			AND :	INCL	JDIN	IG 19	/33 k	V			_	
3.1	SCOPE O				• • • •	••••	••••	••••	••••	••••	••••	••••	••••	••••
3.2	DESIGN			••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••
3.3	CONDUC													
3.4	SCREENS AS 1429	• • • •	••••		••••	••••	••••	••••	••••		••••	••••		
3.5	ARMOUR AS 1026						ACT	UREI	O IN	AC		ANC	E W	ITH
3.6	OVERSH				••••	••••			••••		••••	••••	••••	••••
3.7	MARKING						••••		••••	••••				
3.8	TESTS								••••					
ECTIC	_	DER (CARI										•••	
4.1	SCOPE O													
4.2	TYPES OF				••••	••••	••••		••••		••••	••••	••••	
4.3	CONSTRU		_		••••									
4.4	CONDUC'		-		••••	••••	••••		••••			••••		
4.5	INSULAT							••••			• • • • •			••••
4.6	SCREENS	••••			••••	• • • •		••••			••••			••••
4.7	COVERIN	G ON	PIL	OT O	CORE	S		••••	••••			••••	••••	••••
4.8	LAYING I	UP OF	CO	RES	••••	••••		••••	••••	••••	••••	····	••••	••••
4.9	SHEATH		••••		••••	••••				••••	••••	••••	••••	••••
4.10	EXTERNA	AL MA	ARKI	NG (••••	••••	••••		••••
4.11	TESTS	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	• • • •	••••
CTIC	N 5 MAC	CHINE	CA	BLES	S									
5.1	SCOPE O	F SEC	TIO	N	••••	••••		••••	••••		• • • •	••••	••••	••••
5.2	TYPES	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••
5.3	TYPE 1			••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••
5.4	TYPES 2			****	••••	••••		••••		••••	••••	••••	••••	••••
5.5	TYPES 3			••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••
5.6	TYPES 7		/5	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••
5.7	TYPE 8	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••	••••
	DICES													
	ECOMMEN													
	IACHINE (
7 ' IN	VFORMATI	17 NNI T	7 1 D	u eii	പവ വ	∟ı\ \ \/	TT'L		IIDV	A NIT	1 / 1DI	1 L D		

STANDARDS AUSTRALIA

Australian Standard

Electric cables—Underground coal mines—Other than reeling and trailing cables

SECTION 1 SCOPE AND GENERAL

1.1 SCOPE This Standard specifies the construction of cables used below ground in coal mines.

This Standard does not cover reeling and trailing cables, which are covered by AS 1802, or mine winder cage control and communication cables.

NOTES:

- 1 Mine winder cage control and communication cables shall conform to the requirements for underground coal mines, AS 3116, and AS 1979 where relevant, and shall comply with statutory authority provisions and approval requirements as appropriate.
- 2 Information to be supplied with enquiry and order is stated in Appendix C.
- 1.2 APPLICATION The cables shall comply with the requirements of regulatory authorities and with the following sections, as appropriate:

0.6/1 kV cables for fixed apparatus	Section 2
Armoured cables for use at working voltages of 1.9/3.3 kV	
up to and including 19/33 kV	Section 3
Feeder cables	Section 4
Machine cables	Section 5

In addition to the requirements of the particular section of this Standard, cables shall comply with the relevant requirements of the following Standards, as appropriate for the types of cables specified.

- Section 2 AS 3116, AS 3147, AS 3178 or AS 3198
- Section 3 AS 1026 or AS 1429
- Section 4 AS 3116 and, for sheath material, AS 1802

Section 5	Type 1	AS 3147
	Type 2, 2S	AS 3116
	Type 3, 3S	AS 3116 and AS 3178
	Type 7, 7S	AS 3116
	Type 8	AS 3116

1.3 REFERENCED DOCUMENTS The following documents are referred to in this Standard:

AS

- Impregnated paper insulated cables for electricity supply at working voltages up to and including 33 kV (metric units)
- 1125 Conductors in insulated electric cables and flexible cords
- Polymeric insulated cables for electricity supply at working voltages 1.9/3.3 kV up to and including 19/33 kV
- 1660 Methods of test for electric cables, cords and conductors
- 1802 Reeling and trailing electric cables for underground coal mining purposes
- 1979 Flexible trailing cables for lifts
- 2380 Electrical equipment for explosive atmospheres—Explosion-protection techniques
- 2380.7 Part 7: Intrinsic safety i
- 3116 Approval and test specification—Electric cables—Elastomer insulated—For working voltages up to and including 0.6/1 kV
- Approval and test specification—Electric cables—Thermoplastic insulated for working voltages up to and including 0.6/1 kV
- Approval and test specification—Electric cables—Silicone rubber insulated—For working voltages up to and including 0.6/1 kV
- 3191 Approval and test specification—Electric flexible cords
- Approval and test specification—Electric cables—XLPE insulated—For working voltages up to and including 0.6/1 kV