

Australian Standard[®]

**Guide to reliability and
maintainability program
management**

This Australian Standard was prepared by Committee QR/5, Reliability and Maintainability. It was approved on behalf of the Council of Standards Australia on 20 July 1989 and published on 16 February 1990.

The following interests are represented on Committee QR/5:

Australian Electrical and Electronic Manufacturers' Association
Australian Nuclear Science and Technology Organisation
Australian Organization for Quality
Department of Defence
Federal Chamber of Automotive Industries
Federation of Automotive Products Manufacturers
Institute of Quality Assurance
Institution of Engineers, Australia
Institution of Radio and Electronic Engineers, Australia
Telecom Australia

Review of Australian Standards. To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

This Standard was issued in draft form for comment as DR 87226.

AS 3960—1990

Australian Standard[®]

Guide to reliability and maintainability program management

First published in part as AS 1211.2—1972.
AS 1211.1 first published 1977.
AS 1211.3 first published 1977.
AS 1211.2—1972, AS 1211.1—1977 and
AS 1211.3—1977 revised, amalgamated and redesignated
AS 3960—1990.

PUBLISHED BY STANDARDS AUSTRALIA
(STANDARDS ASSOCIATION OF AUSTRALIA)
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 5892 X

PREFACE

This Standard was prepared by the Standards Australia Committee on Reliability and Maintainability, under the direction of the Quality and Reliability Standards Board to supersede AS 1211, *Reliability of electronic equipment and components*, Part 1—1977: *Terminology*, Part 2—1972: *Reliability concepts*, and Part 3—1977: *Reliability program for equipment*.

It is one of a number of Standards to be prepared on various aspects of reliability and maintainability.

It is based largely on BS 5760, *Reliability of constructed or manufactured products, systems, equipments and components*: Part 1: *Guide to reliability and maintainability programme management*. Consideration was also given to IEC Publication 300, *Reliability and maintainability management*, and this Standard is compatible with that publication.

This Standard extends the scope of the AS 1211 series beyond the confines of electronic hardware and increases the detail in which the subject is treated. The presentation of material has been re-formatted so as to provide clear guidance on the separate tasks required for effective reliability and maintainability program management.

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

CONTENTS

	<i>Page</i>
FOREWORD	4
SECTION 1. SCOPE AND GENERAL	
1.1 SCOPE	6
1.2 REFERENCED DOCUMENTS	6
1.3 DEFINITIONS	6
SECTION 2. RELIABILITY AND MAINTAINABILITY PROGRAM	
2.1 GENERAL	7
2.2 PROGRAM ACTIVITIES	11
SECTION 3. SPECIFICATION OF RELIABILITY AND MAINTAINABILITY	
3.1 GENERAL	19
3.2 WRITING RELIABILITY AND MAINTAINABILITY CLAUSES IN A SPECIFICATION	22
3.3 SPECIFICATION OF RELIABILITY AND MAINTAINABILITY IN PRACTICE	24
SECTION 4. ASSESSMENT AND PREDICTION OF RELIABILITY AND MAINTAINABILITY	
4.1 GENERAL	25
4.2 RELIABILITY ASSESSMENT	25
4.3 RELIABILITY PREDICTION BY MODELLING	25
4.4 PROVISION OF RELIABILITY DATA	25
4.5 RELIABILITY GROWTH TESTING	26
4.6 RELIABILITY DEMONSTRATION AND TESTING	26
4.7 MAINTAINABILITY PREDICTION	27
4.8 MAINTAINABILITY DEMONSTRATION AND TESTING	28
4.9 COMPLIANCE ILLUSTRATION BY MEANS OTHER THAN TESTING	28
SECTION 5. PRODUCTION, FLOW, ANALYSIS AND INTERPRETATION OF RELIABILITY AND MAINTAINABILITY DATA	
5.1 GENERAL	29
5.2 DATA INPUT	29
5.3 DATA SOURCES	34
5.4 DESIGNING THE DATA COLLECTION FORM	35
5.5 VALIDITY OF DATA	35
5.6 COLLECTION AND FLOW OF RELIABILITY DATA	36
5.7 ANALYSIS OF DATA	36
5.8 FAILURE CLASSIFICATION	37
5.9 INTERPRETATION AND PRESENTATION OF DATA	37
APPENDICES	
A TERMS FOR RELIABILITY AND MAINTAINABILITY	38
B EXPLANATION OF RELIABILITY AND MAINTAINABILITY TERMINOLOGY	43
C INDEX OF TERMS FOR RELIABILITY AND MAINTAINABILITY	45

FOREWORD

A standardized systematic approach to reliability and maintainability of manufactured and constructed products is essential to ensure that pertinent statements are consistent and unambiguous in all communications. As well as providing a basis for the preparation of reliability and maintainability programs, this Standard can be used in preparing documents concerned with the specification of reliability and maintainability or the reporting of reliability and maintainability data or tests. Maintainability is applicable for systems and equipments that are repaired following failure.

It is vital that reliability and maintainability be considered in a manner similar to the other characteristics of a system, equipment or item, from its design conception to the end of its working life, and that the reliability and maintainability experience of one generation of products, engineers or technology is used by the next. This requires that each factor affecting reliability and maintainability at any stage in the life of an item be identified and considered in its relationship to the other factors. A reliability and maintainability program is the formalization of this procedure. It may be necessary to divide such a program into two parts, one of which may be the concern of the designer and manufacturer, and the other the concern of the user. It is most important that consideration be given to the reliability and maintainability of items or parts which are used by one manufacturer but produced by another, i.e. subcontractor evaluation and vendor appraisal (see AS 1821, AS 1822, AS 3901 and AS 3902).

Satisfactory reliability and maintainability have traditionally been achieved by the use of codes of practice or methods of working that have been shown by experience to give good results for established products. However, with the increase in pace of change and performance expectations, it is no longer sufficient to consider reliability and maintainability in purely qualitative terms when their achievement often demands the specification of quantitative criteria. Accordingly, the onus should be on all parties (i.e. the designer, supplier, purchaser or any other responsible authority) to specify quantitative requirements wherever possible.

With the need to satisfy competing constraints, including stricter health and safety requirements, the advent of new materials and pressure to reduce costs, reliability and maintainability should be expressed in quantitative terms if they are to be given their proper weight. For example, a product may be required to achieve at least a certain useful life, not to exceed a certain failure rate or to have an extremely high availability. Quantitative statements relating to reliability and maintainability should then be made which may be accompanied by stipulations that certain codes of practice be followed.

One aspect of quantitative reliability and maintainability that requires emphasizing is that often reliability and maintainability can be predicted even for products of new design and high cost, such as a ship's propulsion system or a new kind of nuclear reactor pressure vessel, but only if there is sufficient knowledge of the processes leading to failure, including data based on the statistical analysis of observations made.

The designer's or user's confidence that reliability and maintainability requirements will be met depends on the following:

- (a) Adequacy of the data about failures.
- (b) Correct interpretation of such data in the existing environment.
- (c) A disciplined approach to the specification and design of the product or service.

Data should be obtained about failures from the following sources:

- (a) Reliability testing.
- (b) Field data.
- (c) Knowledge of the physical processes leading to failure.

A reliability and maintainability program sets out to provide products with acceptable levels of reliability and maintainability at an acceptable cost rather than products with improved reliability and maintainability regardless of cost. For this reason the quantitative approach is essential. The qualitative approach can be effective in improving reliability and maintainability but the improvement can not be quantified.

In general terms and philosophy this Standard is equally applicable to all parts of a system, including the software. The subject of software reliability and maintainability is considered to be a separate discipline, and the techniques of software reliability and maintainability are not dealt with in detail in this Standard, except where they interface at the system level.

However, it is important to recognize that software as a product is different from all other engineering products in that it is not tangible, and it does not wear out. Software exhibits faults, but, unlike hardware faults, they originate in undetected errors in the software specification, design logic and the coding process. These errors generate faults only when that part of the program is executed and specific (input) conditions exist. The errors mature into failures when they affect the response of the system. Such software-induced system failures exhibit time dependency because the range of system inputs may vary with time, and the process of a mistake maturing into a failure is of uncertain duration and depends on the application of the system. Software reliability and maintainability assurance is therefore not a question of showing, avoiding or compensating for changes such as wear, but of attempting to detect or limit the effect of mistakes in design.

While systems have always had a logic content, the advent of computers has afforded the opportunity to incorporate very large, complicated and often subtle logic structures. These structures often exceed the capability of the human mind to perceive them in total and thus the difference in scale of the logic now possible brings a greater chance of human error at all stages of the life cycle.

STANDARDS AUSTRALIA

Australian Standard

Guide to reliability and maintainability program management

SECTION 1. SCOPE AND GENERAL

1.1 SCOPE. This Standard provides guidance on reliability and maintainability program management of manufactured and constructed products. It discusses the essential features of a comprehensive program for the planning, organization, direction and control of resources to produce systems, equipment and components which will be reliable and maintainable. In management terms it is concerned with what has to be done, and why, and when and how it has to be done, but it cannot be specific about who should do it and where, because organizations and projects vary widely.

Section 2 reviews the essential features of a comprehensive reliability and maintainability program, setting out a logical framework in which the activities described in the other Sections can take place.

Section 3 describes the steps that should be followed when a specification of reliability and maintainability is drafted. The Section provides guidance on the inclusion of reliability and maintainability clauses in specifications relating to the performance, construction, testing and installation of manufactured products, and indicates the nature of the reliability and maintainability statements appropriate to each specification.

Section 4 is an introduction to the means by which quantitative values can be assigned to the reliability and maintainability of systems, equipment and components at various stages in their life cycle, and the factors that influence that assignment.

Section 5 describes the processes of assimilation and utilization of the data on which assessment and prediction of reliability and maintainability are based.

Appendix A provides the user with a supplementary list of terms for reliability and maintainability, taken from IEC Publication 271, which are not found in AS 1057.

NOTES:

1. Appendix B provides an explanation of reliability and maintainability terminology.
2. Appendix C provides a complete index of terms for reliability and maintainability.
3. Many but not all of the program elements described in this Standard are applicable to the achievement of reliability and maintainability of services.

1.2 REFERENCED DOCUMENTS. The following documents are referred to in this Standard:

AS

- | | |
|------|--|
| 1057 | Quality assurance and quality control—Glossary of terms |
| 1199 | Sampling procedures and tables for inspection by attributes |
| 1821 | Suppliers quality systems for design, development, production and installation |
| 1822 | Suppliers quality systems for production and installation |
| 2490 | Sampling procedures and charts for inspection by variables for percent defective |
| 2529 | Collection of reliability, availability and maintainability data for electronics and similar engineering use |
| 2530 | Presentation of reliability data on electronic and similar components |
| 2990 | Quality systems for engineering and construction projects |
| 3900 | Quality systems—Guide to selection and use |
| 3901 | Quality systems for design/development, production, installation and servicing |
| 3902 | Quality systems for production and installation |

BS

- | | |
|------|--|
| 5760 | Reliability of systems, equipments and components—
Part 2: Guide to the assessment of reliability |
|------|--|

IEC

- | | |
|-----|--|
| 271 | List of basic terms, definitions and related mathematics for reliability |
|-----|--|

1.3 DEFINITIONS. For the purpose of this Standard the definitions given in AS 1057 and the terms listed in Appendix A of this Standard apply.