

AS 1099.2.31—1990

IEC 68-2-31(1969)

Australian Standard[®]

**Basic environmental testing
procedures for electrotechnology**

Part 2: Tests

**1099.2.31: Test Ec—Drop and
topple, primarily for equipment**

This Australian Standard was prepared by Committee ET/5, Environmental Testing Procedures. It was approved on behalf of the Council of Standards Australia on 6 December 1989 and published on 4 June 1990.

The following interests are represented on Committee:

Aerospace Technologies of Australia
Confederation of Australian Industry
Department of Administrative Services—Australian Construction Services
Department of Defence
Electricity Supply Association of Australia
National Association of Testing Authorities
Society of Automotive Engineers, Australasia
Telecom Australia
University of New South Wales

Review of Australian Standards. *To keep abreast of progress in industry, Australian Standards are subject to periodic review and are kept up to date by the issue of amendments or new editions as necessary. It is important therefore that Standards users ensure that they are in possession of the latest edition, and any amendments thereto.*

Full details of all Australian Standards and related publications will be found in the Standards Australia Catalogue of Publications; this information is supplemented each month by the magazine 'The Australian Standard', which subscribing members receive, and which gives details of new publications, new editions and amendments, and of withdrawn Standards.

Suggestions for improvements to Australian Standards, addressed to the head office of Standards Australia, are welcomed. Notification of any inaccuracy or ambiguity found in an Australian Standard should be made without delay in order that the matter may be investigated and appropriate action taken.

AS 1099.2.31—1990

Australian Standard[®]

**Basic environmental testing
procedures for electrotechnology**

**Part 2: Tests
1099.2.31: Test Ec—Drop and
topple, primarily for equipment**

First published as AS 1099.2Ec—1971.
Revised and redesignated AS 1099.2.31—1990.

PUBLISHED BY STANDARDS AUSTRALIA
(STANDARDS ASSOCIATION OF AUSTRALIA)
1 THE CRESCENT, HOMEBUSH, NSW 2140

ISBN 0 7262 6091 6

PREFACE

This Standard was prepared by the Standards Australia Committee on Environmental Testing Procedures to supersede AS 1099.2Ec—1971 *Test Ec, Drop and topple*. This edition is identical with and reproduced from IEC 68-2-31 as amended by AMDT No 1(1982).

The object of the Standard is to determine the effects upon the equipment of simple standard tests intended to be representative of knocks and jolts likely to occur during handling on a table or bench. Tests of this type may be used to demonstrate the minimum degree of robustness required to assess safety requirements. The test is primarily intended for specimens in their transport case when the case may be considered part of the specimen itself.

For the purpose of this Australian Standard the IEC Publication used herein should be modified as follows:

<i>Reference to International Standards</i>		<i>Appropriate Australian Standard</i>	
IEC		AS	
68	Basic environmental testing procedures	1099	Basic environmental testing procedures for electrotechnology
68-1	Part 1: General and guidance	1099.1	Part 1: General
68-2	Part 2: Tests	1099.2	Part 2: Tests
68-2-27	Test Ea: Shock	1099.2.27	Test Ea: Shock
68-2-29	Test Eb: Bump	1099.2.28	Test Eb: Bump
68-2-32	Test Ed: Free fall	1099.2.32	Test Ed: Free fall
68-2-55	Test Ee: Bounce	1099.2.55	Test Ee: Bounce

 CONTENTS

	<i>Page</i>
1 SCOPE	3
2 GENERAL	3
3 TESTING PROCEDURES	3
4 INFORMATION TO BE INCLUDED IN THE RELEVANT SPECIFICATION	4
APPENDIX A. GUIDANCE	6

© Copyright — STANDARDS AUSTRALIA

Users of Standards are reminded that copyright subsists in all Standards Australia publications and software. Except where the Copyright Act allows and except where provided for below no publications or software produced by Standards Australia may be reproduced, stored in a retrieval system in any form or transmitted by any means without prior permission in writing from Standards Australia. Permission may be conditional on an appropriate royalty payment. Requests for permission and information on commercial software royalties should be directed to the head office of Standards Australia.

Standards Australia will permit up to 10 percent of the technical content pages of a Standard to be copied for use exclusively in-house by purchasers of the Standard without payment of a royalty or advice to Standards Australia.

Standards Australia will also permit the inclusion of its copyright material in computer software programs for no royalty payment provided such programs are used exclusively in-house by the creators of the programs.

Care should be taken to ensure that material used is from the current edition of the Standard and that it is updated whenever the Standard is amended or revised. The number and date of the Standard should therefore be clearly identified.

The use of material in print form or in computer software programs to be used commercially, with or without payment, or in commercial contracts is subject to the payment of a royalty. This policy may be varied by Standards Australia at any time.

STANDARDS AUSTRALIA

Australian Standard

Basic Environmental Test Procedures For Electrotechnology

Part 2: Tests

1099.2.31: Test Ec—Drop and topple, primarily for equipment

This Standard shall be read in conjunction with AS 1099.1, General

1. Object

To assess the effects upon a specimen of simple standard tests intended to be representative of the knocks and jolts likely to occur during repair work or rough handling in use on a table or bench.

Tests of this type may also be used to demonstrate a minimum degree of robustness for the purpose of assessing safety requirements.

This test is primarily intended for specimens not in their packing and for items in their transport cases, when the latter may be considered as part of the specimens themselves.

2. General

The test includes three distinct procedures:

- a) Dropping on to a face (Sub-clause 3.2.1).
- b) Dropping on to a corner (Sub-clause 3.2.2).
- c) Toppling (or pushover) (Sub-clause 3.2.3).

The purpose of each of these procedures is basically the same, but they represent different kinds of handling.

The test is not intended to be a precise test and a tolerance of $\pm 10\%$ is allowed on the heights and angles prescribed in Clause 3.

Note. — For a more precise shock test, Test Ea: Shock (IEC Publication 68-2-27) should be used.

3. Testing procedures**3.1 Initial measurements**

The specimen shall be visually examined and electrically and mechanically checked, as required by the relevant specification.

3.2 Conditioning

Having taken into account the manner in which the specimen will be handled in use and during repair, the relevant specification shall state the test procedure to be used and whether covers, cables, etc., are to be in position or not. The relevant specification shall also state whether the specimen is, or is not, operational during the test.

In the test procedures for dropping on to a face or corner, it is possible for the specimen to topple on to the next face instead of falling back on to the test face as intended. This shall be avoided by a suitable method.

In any of the test procedures, the specimen shall not be allowed to continue rolling about the next edge.

Where the number of bottom edges exceeds four, the number of drops or topples shall be limited to four and the relevant specification shall prescribe the edges to be used for the test.