(Revision of ASME B30.22-2016)

Articulating Boom Cranes

Safety Standard for Cableways, Cranes, Derricks, Hoists, Hooks, Jacks, and Slings

AN AMERICAN NATIONAL STANDARD



ASME B30.22-2023 (Revision of ASME B30.22-2016)

Articulating Boom Cranes

Safety Standard for Cableways, Cranes, Derricks, Hoists, Hooks, Jacks, and Slings

AN AMERICAN NATIONAL STANDARD



Date of Issuance: June 19, 2023

The next edition of this Standard is scheduled for publication in 2028. This will become effective 1 year after the Date of Issuance.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "certify," "rate," or "endorse" any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



"ASME" and the above ASME symbol are registered trademarks of The American Society of Mechanical Engineers.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

The American Society of Mechanical Engineers Two Park Avenue, New York, NY 10016-5990

Copyright © 2023 by
THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS
All rights reserved
Printed in U.S.A.

CONTENTS

Foreword		1		
Committee Roste	er	vi		
Correspondence With the B30 Committee				
B30 Standard In	troduction	y		
	nges	xi		
Summary of Gha	mgcs	AI		
Chapter 22-0	Scope, Definitions, Personnel Competence, Translations, and References	1		
Section 22-0.1	Scope of B30.22	1		
Section 22-0.2	Definitions	1		
Section 22-0.3	Legend for Figures 22-0.3-1 Through 22-0.3-4	ç		
Section 22-0.4	Nomenclature for Articulating Cranes	14		
Section 22-0.5	Personnel Competence	14		
Section 22-0.6	Translations	14		
Section 22-0.7	References	14		
Chapter 22-1	Construction and Characteristics	16		
Section 22-1.1	Load Ratings	16		
Section 22-1.2	Boom Lift, Boom Telescoping, and Load Hoist Mechanisms	19		
Section 22-1.3	Swing Mechanism	19		
Section 22-1.4	Crane Transport	19		
Section 22-1.5	Ropes, Rope-Lifting Components, and Reeving Accessories	20		
Section 22-1.6	Controls	20		
Section 22-1.7	Installation	20		
Section 22-1.8	Construction	20		
Section 22-1.9	Operating Manual	22		
Chapter 22-2	Inspection, Testing, and Maintenance	23		
Section 22-2.1	Inspection	23		
Section 22-2.2	Testing	24		
Section 22-2.3	Maintenance	25		
Chapter 22-3	Operation	27		
Section 22-3.1	Qualifications and Responsibilities	27		
Section 22-3.2	Operating Practices	31		
Section 22-3.3	Signals	32		
Section 22-3.4	Operation in the Vicinity of Electric Power Lines	33		
Section 22-3.5	Miscellaneous	4(
Figures				
22-0.2.1-1	Commercial Truck-Mounted With Ground Control	2		
22-0.2.1-2	Commercial Truck-Mounted With Top Seat Control	3		
22-0.2.1-3	Commercial Truck-Rear-Mounted With Remote Control	4		

22-0.2.1-4	Crawler-Mounted	4
22-0.2.1-5	Stationary Installation	5
22-0.2.1-6	Railcar Installation	5
22-0.2.1-7	Trailer-Mounted	5
22-0.2.1-8	Traveling Base-Mounted on Trailer	6
22-0.2.1-9	Off-Road Vehicle	6
22-0.3-1	Definitions of Specifications for Articulating Cranes	10
22-0.3-2	Hook Approach	13
22-0.3-3	Elevation Below Horizontal	13
22-0.3-4	Elevation Above Horizontal	13
22-0.4-1	Nomenclature for Articulating Cranes	15
22-1.1.3-1	Work Areas	17
22-3.3.4-1	Standard Hand Signals	34
22-3.4.1-1	Flowchart to Assist in Determination of the Applicable Subsection for Operation in the Vicinity of Power Lines	36
22-3.4.1-2	Specified Clearance Around an Energized Power Line	37
22-3.4.1-3	Specified Clearance Around an Energized Electric Power Line That Shall Be Maintained When the Crane Is in Travel or Transit	38
22-3.4.1-4	Electric Power Line Support Structures	38
Table		
22-3.4.1-1	Specified Clearance for Operation in the Vicinity of Energized Electric Power Lines	39

FOREWORD

This American National Standard, Safety Standard for Cableways, Cranes, Derricks, Hoists, Hooks, Jacks, and Slings, has been developed under the procedures accredited by the American National Standards Institute (ANSI). This Standard had its beginning in December 1916, when an eight-page Code of Safety Standards for Cranes, prepared by the American Society of Mechanical Engineers (ASME) Committee on the Protection of Industrial Workers, was presented at the annual meeting of ASME.

Meetings and discussions regarding safety on cranes, derricks, and hoists were held from 1920 to 1925 involving the ASME Safety Code Correlating Committee, the Association of Iron and Steel Electrical Engineers, the American Museum of Safety, the American Engineering Standards Committee (AESC) [later changed to American Standards Association (ASA), then to the United States of America Standards Institute (USASI), and finally to ANSI], Department of Labor — State of New Jersey, Department of Labor and Industry — State of Pennsylvania, and the Locomotive Crane Manufacturers Association. On June 11, 1925, the AESC approved the ASME Safety Code Correlating Committee's recommendation and authorized the project with the U.S. Department of the Navy, Bureau of Yards and Docks, and ASME as sponsors.

In March 1926, invitations were issued to 50 organizations to appoint representatives to a Sectional Committee. The call for organization of this Sectional Committee was sent out October 2, 1926, and the Committee was organized on November 4, 1926, with 57 members representing 29 national organizations.

Commencing June 1, 1927, and using the eight-page Code published by ASME in 1916 as a basis, the Sectional Committee developed the Safety Code for Cranes, Derricks, and Hoists. The early drafts of this safety code included requirements for jacks, but, due to inputs and comments on those drafts, the Sectional Committee decided in 1938 to make the requirements for jacks a separate code. In January 1943, ASA B30.2-1943 was published addressing a multitude of equipment types, and in August 1943, ASA B30.1-1943 was published addressing only jacks. Both documents were reaffirmed in 1952 and widely accepted as safety standards.

Due to changes in design, advancement in techniques, and general interest of labor and industry in safety, the Sectional Committee, under the joint sponsorship of ASME and the Bureau of Yards and Docks (now the Naval Facilities Engineering Command), was reorganized on January 31, 1962, with 39 members representing 27 national organizations. The new Committee changed the format of ASA B30.2-1943 so that the multitude of equipment types it addressed could be published in separate volumes that could completely cover the construction, installation, inspection, testing, maintenance, and operation of each type of equipment that was included in the scope of ASA B30.2. This format change resulted in B30.3, B30.5, B30.6, B30.11, and B30.16 being designated as revisions of B30.2 with the remainder of the B30 volumes being published as totally new volumes. ASA changed its name to USASI in 1966 and to ANSI in 1969, which resulted in B30 volumes from 1943 to 1968 being designated as either ASA B30, USAS B30, or ANSI B30, depending on their date of publication.

In 1982, the Committee was reorganized as an Accredited Organization Committee operating under procedures developed by ASME and accredited by ANSI. This Standard presents a coordinated set of rules that may serve as a guide to government and other regulatory bodies and municipal authorities responsible for the guarding and inspection of the equipment falling within its scope. The suggestions leading to accident prevention are given both as mandatory and advisory provisions; compliance with both types may be required by employers of their employees.

In case of practical difficulties, new developments, or unnecessary hardship, the administrative or regulatory authority may grant variances from the literal requirements or permit the use of other devices or methods but only when it is clearly evident that an equivalent degree of protection is thereby secured. To secure uniform application and interpretation of this Standard, administrative or regulatory authorities are urged to consult the B30 Committee, in accordance with the format described in Section IX of the Introduction, before rendering decisions on disputed points.

Safety codes and standards are intended to enhance public safety. Revisions result from committee consideration of factors such as technological advances, new data, and changing environmental and industry needs. Revisions do not imply that previous editions were inadequate.

The first edition of B30.22 was issued in 1987, and new editions were published in 1993, 2000, 2005, and 2010. The 2010 edition incorporated the addition of responsibilities, hand signals, and more comprehensive information on operation near electric power lines.

The 2016 edition contained revisions to all chapters. The most notable changes included installation requirements, clarification of testing, lift director responsibilities, and setup and operating practices.

This 2023 edition adds references to ASME B30.30 and updates the definitions and figures. This Volume of the Standard, which was approved by the B30 Committee and by ASME, was approved by ANSI and designated as an American National Standard on May 19, 2023.

ASME B30 COMMITTEE

Safety Standard for Cableways, Cranes, Derricks, Hoists, Hooks, Jacks, and Slings

(The following is the roster of the Committee at the time of approval of this Standard.)

STANDARDS COMMITTEE OFFICERS

T. L. Blanton, Chair E. D. Fidler, Vice Chair S. D. Wood, Vice Chair K. Peterson, Secretary

STANDARDS COMMITTEE PERSONNEL

N. E. Andrew, Neil E. Andrew and Associates, LLC

B. B. Bacon, Tennessee Valley Authority

T. L. Blanton, Ogr Consulting Services, LLC

P. A. Boeckman, The Crosby Group, LLC

J. Burkey, Consultant

J. A. Danielson, The Boeing Co.

D. Decker, Becket, LLC

L. D. DeMark, Equipment Training Solutions, LLC

D. W. Eckstine, Eckstine and Associates

E. D. Fidler, Grove U.S., LLC

M. Gardiner, ICC Forensics, LLC

J. A. Gilbert, Associated Wire Rope Fabricators

D. Henninger, Bridon Bekaert

G. B. Hetherston, Hetherston Consulting, LLC

M. M. Jaxtheimer, Navy Crane Center

P. R. Juhren, Morrow Equipment Co., LLC

T. W. Klein, Wireco Worldgroup

R. M. Kohner, Consultant

A. J. Lusi, Jr., Lumark Consulting, LLP

T. C. Mackey, WRPS Hanford

J. Mihlbauer, Jr., All Ship and Cargo Surveys, Ltd.

R. M. Parnell, Industrial Training International

J. T. Perkins, All Material Handling

K. Peterson, The American Society of Mechanical Engineers

B. Pickett, Systems Engineering and Forensic Services

J. A. Pilgrim, Manitowoc Cranes

S. K. Rammelsberg, McDermott

K. Rask, NationsBuilders Insurance Services, Inc.

K. Reynolds, Shell Exploration and Production

J. E. Richardson, Navy Crane Center

J. W. Rowland III, Consultant

A. R. Ruud, Atkinson Construction

L. K. Shapiro, Howard I. Shapiro and Associates

T. Sicklesteel, National Commission for the Certification of Crane Operators

D. W. Smith, J. E. Spear Consulting, LP

W. J. Smith, Jr., NationsBuilders Insurance Services, Inc.

R. S. Stemp, Lampson International, LLC

R. G. Strain, Advanced Crane Technologies, LLC

J. Sturm, Sturm Corp.

D. Sullivan, IUOE Local 542 JATC

P. D. Sweeney, Riverside Engineering

C. Warren, Webber, LLC

J. D. Wiethorn, International Crane and Construction Safety Solutions, LLC

S. D. Wood, Terex Corp.

D. Boyle, Alternate, The Crosby Group

B. M. Casey, Alternate, Electric Boat Corp.

M. Chaudanson, Alternate, Howard I. Shapiro and Associates

W. C. Dickinson, Jr., Alternate, Crane Industry Services, LLC

D. Duerr, Alternate, 2DM Associates, Inc.

M. Eckstine, Alternate, Safelift, LLC

S. R. Fletcher, Alternate, Cowles, Murphy, Glover, and Associates

D. Frerking, Alternate, XCMG American Research Corp.

T. Gordon, Alternate, IUOE Local 14 Training Fund

J. B. Greenwood, Alternate, Navy Crane Center

D. F. Jordan, *Alternate*, American International Crane Bureau

K. Kennedy, Alternate, Navy Crane Center

R. Marcotte, Alternate, Bruce Power

L. D. Means, Alternate, Means Engineering and Consulting

W. J. Merrill, Alternate, Merrill Safety Solutions, LLC

G. D. Miller, Alternate, Manitowoc Cranes

D. A. Moore, Alternate, Unified Engineering

L. S. Olver, Alternate, Kolo Holdings, Inc.

J. M. Randall, Alternate, McDermott

G. M. Ray, Alternate, Tennessee Valley Authority

M. Riggs, Alternate, Riggsafe Solutions, Inc.

J. R. Schober, Alternate, American Bridge Co.

J. Schoppert, Alternate, NBIS Claims and Risk Management, Inc.

C. H. Smith, *Alternate*, Morrow Equipment Co., LLC

J. E. Spear, Alternate, J. E. Spear Consulting, LP

J. A. Stewart, Alternate, Stewart Safety Consulting

A. Thompson, Alternate, Wireco Worldgroup

W. Tubbs, Alternate, Craneology, Inc.

P. A. Vallejos, Alternate, Hanford Mission Integration Solutions

J. J. VanEgeren, Alternate, Manitowoc Cranes

M. Zerba, Alternate, Lampson International, LLC

HONORARY MEMBERS

J. W. Downs, Jr., Downs Crane and Hoist Co., Inc.

J. L. Franks, Consultant

C. W. Ireland, National Oilwell Varco

R. W. Parry, Parry, Parry, and Glen
I. C. Rvan, Boh Bros. Construction Co., LLC

D. N. Wolff, Consultant

B30.22 SUBCOMMITTEE PERSONNEL

K. Reynolds, Chair, Shell Exploration and Production

T. Gordon, IUOE Local 14 Training Fund

J. C. Hendry, Aveda Transportation and Energy Services

M. M. Jaxtheimer, Navy Crane Center

A. J. Lusi, Jr., Lumark Consulting, LLP

J. Parnell, Consultant

P. Quick, Affiliated Engineering Laboratories

M. Schroeder, Stellar Industries

W. Timm, Palfinger North America

P. A. Vallejos, Hanford Mission Integration Solutions

B30 INTEREST REVIEW GROUP

O. Akinboboye, Ropetech Engineering Services, Ltd.

P. Clark, Lifting Gear Hire Corp.

B. Dobbs, LEEA

J. Edmundson, Konecranes Nuclear Equipment and Services, LLC

M. Eggenberger, Bay, Ltd.

D. Ferland, F&M MAFCO

A. Gomes Rocha, Industrial Training International

J. Groce, WireCo WorldGroup

N. C. Hargreaves, Hargreaves Consulting, LLC

J. Hui, School of Civil Engineering, People's Republic of China

A. C. Mattoli, Prowinch, LLC

T. McCullough, Consultant

D. Modzeleski, Dematic Corp.

C. Neth, Siefert Associates, LLC

A. Payne, Bureau of Safety and Environmental Enforcement

B30 REGULATORY AUTHORITY COUNCIL

C. N. Stribling, Jr., Chair, Kentucky Labor Cabinet

K. Peterson, *Secretary*, The American Society of Mechanical Engineers

R. D. Jackson, U.S. Department of Labor

D. E. Latham, State of Maryland DLLR

M. J. Nelmida, State of California, Occupational Safety and Health Standards Board

T. Taylor, North Carolina Department of Labor

N. Reynolds, Alternate, Maryland Occupational Safety and Health (MOSH)

CORRESPONDENCE WITH THE B30 COMMITTEE

(23)

General. ASME codes and standards are developed and maintained by committees with the intent to represent the consensus of concerned interests. Users of ASME codes and standards may correspond with the committees to propose revisions or cases, report errata, or request interpretations. Correspondence for this Standard should be sent to the staff secretary noted on the committee's web page, accessible at https://go.asme.org/B30committee.

Revisions and Errata. The committee processes revisions to this Standard on a continuous basis to incorporate changes that appear necessary or desirable as demonstrated by the experience gained from the application of the Standard. Approved revisions will be published in the next edition of the Standard.

In addition, the committee may post errata on the committee web page. Errata become effective on the date posted. Users can register on the committee web page to receive e-mail notifications of posted errata.

This Standard is always open for comment, and the committee welcomes proposals for revisions. Such proposals should be as specific as possible, citing the paragraph number(s), the proposed wording, and a detailed description of the reasons for the proposal, including any pertinent background information and supporting documentation.

Cases. The committee does not issue cases for this Standard.

Interpretations. Upon request, the committee will issue an interpretation of any requirement of this Standard. An interpretation can be issued only in response to a request submitted through the online Interpretation Submittal Form at https://go.asme.org/InterpretationRequest. Upon submitting the form, the inquirer will receive an automatic e-mail confirming receipt.

ASME does not act as a consultant for specific engineering problems or for the general application or understanding of the Standard requirements. If, based on the information submitted, it is the opinion of the committee that the inquirer should seek assistance, the request will be returned with the recommendation that such assistance be obtained. Inquirers can track the status of their requests at https://go.asme.org/Interpretations.

ASME procedures provide for reconsideration of any interpretation when or if additional information that might affect an interpretation is available. Further, persons aggrieved by an interpretation may appeal to the cognizant ASME committee or subcommittee. ASME does not "approve," "certify," "rate," or "endorse" any item, construction, proprietary device, or activity.

 $Interpretations\ are\ published\ in\ the\ ASME\ Interpretations\ Database\ at\ https://go.asme.org/Interpretations\ as\ they\ are\ issued.$

Committee Meetings. The B30 Standards Committee regularly holds meetings that are open to the public. Persons wishing to attend any meeting should contact the secretary of the committee. Information on future committee meetings can be found on the committee web page at https://go.asme.org/B30committee.

B30 STANDARD INTRODUCTION

SECTION I: SCOPE

The ASME B30 Standard contains provisions that apply to the construction, installation, operation, inspection, testing, maintenance, and use of cranes and other lifting and material-movement-related equipment. For the convenience of the reader, the Standard has been divided into separate volumes. Each volume has been written under the direction of the ASME B30 Standards Committee and has successfully completed a consensus approval process under the general auspices of the American National Standards Institute (ANSI).

As of the date of issuance of this Volume, the B30 Standard comprises the following volumes:

B30.1	Jacks, Industrial Rollers, Air Casters, and Hydraulic Gantries
B30.2	Overhead and Gantry Cranes (Top Running Bridge, Single or Multiple Girder, Top Running Trolley Hoist)
B30.3	Tower Cranes
B30.4	Portal and Pedestal Cranes
B30.5	Mobile and Locomotive Cranes
B30.6	Derricks
B30.7	Winches
B30.8	Floating Cranes and Floating Derricks
B30.9	Slings
B30.10	Hooks
B30.11	Monorails and Underhung Cranes (withdrawn 2018 — requirements found in latest revision of B30.17)
B30.12	Handling Loads Suspended From Rotorcraft
B30.13	Storage/Retrieval (S/R) Machines and Associated Equipment
B30.14	Side Boom Tractors
B30.15	Mobile Hydraulic Cranes (withdrawn 1982 — requirements found in latest revision of

B30.16 Overhead Underhung and Stationary Hoists

B30.17 Cranes and Monorails (With Underhung Trolley

B30.18 Stacker Cranes (Top or Under Running Bridge,

Multiple Girder With Top or Under Running

B30.5)

or Bridge)

Trolley Hoist)

B30.22	Articulating Boom Cranes
B30.23	Personnel Lifting Systems

B30.24 Container Cranes

B30.21 Lever Hoists

B30.25 Scrap and Material Handlers

B30.26 Rigging Hardware

B30.27 Material Placement Systems

B30.28 Balance Lifting Units

B30.29 Self-Erecting Tower Cranes

B30.30 Ropes

B30.31 Self-Propelled, Towed, or Remote-Controlled Hydraulic Platform Transporters¹

B30.32 Unmanned Aircraft Systems (UAS) Used in Inspection, Testing, Maintenance, and Load-Handling Operations

SECTION II: SCOPE EXCLUSIONS

Any exclusion of, or limitations applicable to, the equipment, requirements, recommendations, or operations contained in this Standard are established in the affected volume's scope.

SECTION III: PURPOSE

The B30 Standard is intended to

- (a) prevent or minimize injury to workers, and otherwise provide for the protection of life, limb, and property by prescribing safety requirements
- (b) provide direction to manufacturers, owners, employers, users, and others concerned with, or responsible for, its application
- (c) guide governments and other regulatory bodies in the development, promulgation, and enforcement of appropriate safety directives

SECTION IV: USE BY REGULATORY AGENCIES

These volumes may be adopted in whole or in part for governmental or regulatory use. If adopted for governmental use, the references to other national codes and standards in the specific volumes may be changed to refer to the corresponding regulations of the governmental authorities.

B30.19 Cableways

B30.20 Below-the-Hook Lifting Devices

This volume is currently in the development process.