Default Standards for Understanding Engineering Documentation With Incomplete Reference to Applicable Dimensioning, Tolerancing, Surface Texture, and Metrology Standards

Product Definition Specifications (PDS)

AN AMERICAN NATIONAL STANDARD



Default Standards for Understanding Engineering Documentation With Incomplete Reference to Applicable Dimensioning, Tolerancing, Surface Texture, and Metrology Standards

Product Definition Specifications (PDS)

AN AMERICAN NATIONAL STANDARD



The American Society of Mechanical Engineers

Two Park Avenue • New York, NY • 10016 USA

This Standard will be revised when the Society approves the issuance of a new edition.

This code or standard was developed under procedures accredited as meeting the criteria for American National Standards. The standards committee that approved the code or standard was balanced to ensure that individuals from competent and concerned interests had an opportunity to participate. The proposed code or standard was made available for public review and comment, which provided an opportunity for additional public input from industry, academia, regulatory agencies, and the public-at-large.

ASME does not "approve," "certify," "rate," or "endorse" any item, construction, proprietary device, or activity. ASME does not take any position with respect to the validity of any patent rights asserted in connection with any items mentioned in this document, and does not undertake to insure anyone utilizing a standard against liability for infringement of any applicable letters patent, nor does ASME assume any such liability. Users of a code or standard are expressly advised that determination of the validity of any such patent rights, and the risk of infringement of such rights, is entirely their own responsibility.

Participation by federal agency representatives or persons affiliated with industry is not to be interpreted as government or industry endorsement of this code or standard.

ASME accepts responsibility for only those interpretations of this document issued in accordance with the established ASME procedures and policies, which precludes the issuance of interpretations by individuals.

The endnotes and preamble in this document (if any) are part of this American National Standard.



ASME Collective Membership Mark

"ASME" and the above ASME symbol are registered trademarks of The American Society of Mechanical Engineers.

No part of this document may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

> The American Society of Mechanical Engineers Two Park Avenue, New York, NY 10016-5990

Copyright © 2023 by THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS All rights reserved

CONTENTS

Foreword .		iv
Committee Roster		v
Correspondence With the H213 Committee		vii
1	Scope	1
2	Product Definition Specifications	1
3	Mandatory, Recommended, Guidance, and Optional Words	1
4	Reference to the Y14.5 Standard	1
5	Product Definition Data Without Reference to a Standard	1
6	ASA/ANSI/ASME B46 and B89 Standards	1
7	References	2
Nonmandatory Appendix		
А	Determination of Relevant Standard	3
Table		
A-1	Editions of Y14, B46.1, and B89 Standards for Determining the Relevant Standard	4

FOREWORD

Engineering product definition data often function as contract documents. This Standard addresses the situation where no standards are listed on an engineering document, which may cause contractual or legal issues.

When engineering product definition data are produced, regardless of the country they were produced in, they must be based on a set of standards or they are not interpretable. ASME recommends that product definition data should have applicable standards stated in the product definition data, in a document referenced in the product definition data, or in contractually imposed documents. The standards may be company, regional, national, or international standards.

Where the applicable engineering product definition standards, surface texture standards, or measurement standards are not indicated by one of these methods, the interpretation of the engineering product definition data and the measurement methods are unspecified. Unfortunately, there are many drawing graphic sheets or models in industry that do not have any indication as to which standards are to be used for interpretation.

The purpose of this ASME standard is to identify the set of dimensioning, tolerancing, surface texture, and measurement standards as de facto standards to apply to engineering documentation where no standards are indicated in the product definition data, in a document referenced in the product definition data, or in contractually imposed documents.

There are three ASME Committees that produce standards affecting product specification, interpretation, and measurement practices.

(a) B46 Committee on Classification and Designation of Surface Qualities

- (b) B89 Committee on Dimensional Metrology
- (c) Y14 Committee on Engineering Product Definition and Related Documentation Practices

These three ASME Standards Committees have jointly prepared and individually approved this revision to define the applicable dimensioning and tolerancing standards, surface texture standards, and associated measurement standards when no reference is made to a company, regional, national, or international standard in product definition data. The H213 Special Committee on Harmonization of Dimensional and Geometrical Product Specifications and Verification was instrumental in initiating this Standard.

ASME PDS-1.1-2023 was approved by the American National Standards Institute as an American National Standard on March 27, 2023.

H213 SPECIAL COMMITTEE Harmonization of Dimensional and Geometrical Product **Specifications and Verification**

(The following is a roster of the Committee at the time of approval of this Standard.)

STANDARDS COMMITTEE OFFICERS

L. Bergquist, Chair T. Charlton, Jr., Vice Chair F. Constantino, Secretary

STANDARDS COMMITTEE PERSONNEL

L. Bergquist, Tec-Ease, Inc.

- T. Charlton, Jr., Charlton Associates
- F. Constantino, The American Society of Mechanical Engineers
- R. Jensen, Hexagon Manufacturing Intelligence

W. A. Kaba, Spirit AeroSystems, Inc.

A. Krulikowski, Effective Training, Inc.

M. C. Malburg, Digital Metrology Solutions, Inc.

- P. E. McKim, Consultant
- E. Morse, University of North Carolina, Charlotte
- B. Parry, Consultant
- D. Schertz, Koyo/Jtekt
- V. Srinivasan, National Institute of Standards and Technology
- S. Weinman, The American Society of Mechanical Engineers

B46 COMMITTEE — CLASSIFICATION AND DESIGNATION OF SURFACE QUALITIES

- T. B. Renegar, Chair, National Institute of Standards and Technology
- D. Schertz, Vice Chair, Koyo/Jtekt
- M. Pagano, Secretary, The American Society of Mechanical Engineers
- E. P. Becker, Friction & Wear Solutions, LLC
- T. S. Bergstrom, Worcester Polytechnic Institute
- C. A. Brown, Worcester Polytechnic Institute
- J. Clark, Woodward, Inc.
- D. K. Cohen, Michigan Metrology, LLC
- P. J. de Groot, Zygo Corp.
- S. Ledger, Cummins, Inc.
- D. Lombardo, GE Aviation

- B. Ludwick, Superior Metrology, LLC
- M. C. Malburg, Digital Metrology Solutions, Inc.
- J. O'Hearn III, Supfina Machine Co., Inc.
- J. Raja, University of North Carolina
- S. K. Ramasamy, Apple, Inc.
- M. Stewart, Numerical Engineer
- H. Tran, Sandia National Laboratories
- T. V. Vorburger, National Institute of Standards and Technology
- E. S. Widder, Federal-Mogul Corp.
- E. R. Olear, Honorary Member, Consultant

B89 COMMITTEE — DIMENSIONAL METROLOGY

- E. Morse, Chair, University of North Carolina at Charlotte
- J. G. Salsbury, Vice Chair, Mitutoyo America Corp.
- J. Cassamassino, Secretary, The American Society of Mechanical Engineers
- T. Charlton, Jr., Charlton Associates
- B. Crowe, CDI
- J. Drescher, UTC Pratt & Whitney
- M. Fink, Consultant
- E. Gesner, Quality Vision International, Inc.
- G. A. Hetland, International Institute of Geometric Dimensioning and Tolerancing
- M. Liebers, Professional Instruments Co.
- R. Long, ANSI National Accreditation Board

- B. Parry, Consultant
- P. H. Pereira, Caterpillar, Inc.
- B. S. Pippenger, Rolls-Royce, Inc.
- D. Sawyer, National Institute of Standards and Technology
- J. R. Schmidl, Optical Gaging Products, Inc.
- C. Shakarji, National Institute of Standards and Technology
- R. L. Thompson, U.S. Air Force Metrology Lab
- K. L. Skinner, Alternate, U.S. Air Force Metrology Lab
- D. J. Christy, Honorary Member, Consultant
- T. Carpenter, Honorary Member, Consultant
- R. Hocken, Honorary Member, Consultant
- M. P. Krystek, Honorary Member, Consultant
- B. R. Taylor, Honorary Member, Consultant

Y14 COMMITTEE — ENGINEERING PRODUCT DEFINITION AND RELATED DOCUMENTATION PRACTICES

J. B. Hoskins, Chair, Boeing

- J. D. Meadows, Vice Chair, James D. Meadows & Associates, Inc.
- **F. Constantino**, *Secretary*, The American Society of Mechanical Engineers
- L. Bergquist, Tec-Ease, Inc.
- C. Berdon, U.S. Air Force
- T. Bowers, Lockheed Martin
- W. S. Cockrell, Raytheon Technologies
- D. O. Coon, Applied Geometrics, Inc.
- R. Courson, SAE International
- P. Drake, MechSigma Consulting, Inc.
- B. Fischer, TDP360, LLC
- S. Hauger, Deere & Co.
- J. Houck, Woodward, Inc.
- R. Jensen, Hexagon Manufacturing Intelligence
- A. Krulikowski, Krulikowski Consulting, LLC
- S. Lege, U.S. Army
- B. Lumb, Werfen

- L. Maggiano, Mitutoyo Corp.
- E. F. McCarthy, E. F. McCarthy Consulting, Inc.
- P. J. McCuistion, Multimac DMS
- M. E. Meloro, Northrop Grumman Corp.
 - J. Michalowicz, Stryker Corp.
 - J. I. Miles, Technical Consultants, Inc.
 - F. Stepp, U.S. Navy
 - E. Zwettler, Sigmetrix
 - F. Immel, Alternate, U.S. Navy
 - F. Perry, Alternate, Deere & Co.
 - J. V. Burleigh, Contributing Member, Consultant
 - K. Dobert, Contributing Member, Siemens PLM Software
 - W. A. Kaba, Contributing Member, Spirit AeroSystems, Inc.
 - H. W. Oakes, Contributing Member, U.S. Air Force (University of Dayton Research Institute)
 - K. E. Wiegandt, Contributing Member, Consultant
 - B. A. Wilson, Contributing Member, Consultant

CORRESPONDENCE WITH THE H213 COMMITTEE

General. ASME codes and standards are developed and maintained by committees with the intent to represent the consensus of concerned interests. Users of ASME codes and standards may correspond with the committees to propose revisions or cases, report errata, or request interpretations. Correspondence for this Standard should be sent to the staff secretary noted on the committee's web page, accessible at https://go.asme.org/H213committee.

Revisions and Errata. The committee processes revisions to this Standard on a periodic basis to incorporate changes that appear necessary or desirable as demonstrated by the experience gained from the application of the Standard. Approved revisions will be published in the next edition of the Standard.

In addition, the committee may post errata on the committee web page. Errata become effective on the date posted. Users can register on the committee web page to receive e-mail notifications of posted errata.

This Standard is always open for comment, and the committee welcomes proposals for revisions. Such proposals should be as specific as possible, citing the paragraph number(s), the proposed wording, and a detailed description of the reasons for the proposal, including any pertinent background information and supporting documentation.

Cases

(a) The most common applications for cases are

- (1) to permit early implementation of a revision based on an urgent need
- (2) to provide alternative requirements

(3) to allow users to gain experience with alternative or potential additional requirements prior to incorporation directly into the Standard

(4) to permit the use of a new material or process

(*b*) Users are cautioned that not all jurisdictions or owners automatically accept cases. Cases are not to be considered as approving, recommending, certifying, or endorsing any proprietary or specific design, or as limiting in any way the freedom of manufacturers, constructors, or owners to choose any method of design or any form of construction that conforms to the Standard.

(c) A proposed case shall be written as a question and reply in the same format as existing cases. The proposal shall also include the following information:

(1) a statement of need and background information

- (2) the urgency of the case (e.g., the case concerns a project that is underway or imminent)
- (3) the Standard and the paragraph, figure, or table number(s)
- (4) the edition(s) of the Standard to which the proposed case applies

(*d*) A case is effective for use when the public review process has been completed and it is approved by the cognizant supervisory board. Approved cases are posted on the committee web page.

Interpretations. The committee does not issue interpretations for this Standard.

Committee Meetings. The H213 Standards Committee regularly holds meetings that are open to the public. Persons wishing to attend any meeting should contact the secretary of the committee. Information on future committee meetings can be found on the committee web page at https://go.asme.org/H213committee.

INTENTIONALLY LEFT BLANK

DEFAULT STANDARDS FOR UNDERSTANDING ENGINEERING DOCUMENTATION WITH INCOMPLETE REFERENCE TO APPLICABLE DIMENSIONING, TOLERANCING, SURFACE TEXTURE, AND METROLOGY STANDARDS

1 SCOPE¹

This Standard defines the applicable dimensioning and tolerancing standards, surface texture standards, and associated measurement standards when no reference is made to a company, regional, national, or international standard on dimensioning and tolerancing product definition data. This Standard applies to product definition data created in any country.

2 PRODUCT DEFINITION SPECIFICATIONS

ASME Product Definition Specifications (PDS) are a harmonized set of standards used to document and interpret engineering and verification by inspection (e.g., using surface or dimensional metrology) requirements. ASME PDS standards are jointly developed and approved by the ASME B46, ASME B89, and and ASME Y14 committees. ASME PDS standards may invoke partial or entire ASME B46, ASME B89, and ASME Y14 standards.

3 MANDATORY, RECOMMENDED, GUIDANCE, AND OPTIONAL WORDS

(a) The word "shall" establishes a requirement.

(b) The word "will" establishes a declaration of purpose on the part of the design activity.

(c) The word "should" establishes a recommended practice.

(d) The word "may" establishes an allowed practice.

(e) The words "typical," "example," "for reference," and the Latin abbreviation "e.g." indicate suggestions given for guidance only.

(f) The word "or" used in conjunction with a requirement or a recommended practice indicates that there are two or more options for complying with the stated requirement or practice.

(g) The phrase "unless otherwise specified" (UOS) shall be used to indicate a default requirement. The phrase is used when the default is a generally applied requirement, and an exception may be provided by another document or requirement.

4 REFERENCE TO THE Y14.5 STANDARD

USASI Y14.5-1966, para. 1.4; ANSI Y14.5-1973, para. 5.1.4; ANSI Y14.5-1982, para. 1.1.2; ASME Y14.5M-1994 and ASME Y14.5-2009, para. 1.1.3; and ASME Y14.5-2018, para. 1.3 state that the relevant standard shall be referenced in the product definition data, in a document referenced in the product definition data, or in contractually imposed documents to avoid misinterpretation.

5 PRODUCT DEFINITION DATA WITHOUT REFERENCE TO A STANDARD

When product definition data are produced without a reference to a standard (company, regional, national, or international), or contractually imposed documents and contain symbology from an USASI, ANSI, or ASME standard on dimensioning and tolerancing, they shall be interpreted according to the approved USASI, ANSI, or ASME standard that existed at the approval date in the product definition data. See Nonmandatory Appendix A, Table A-1 for a list of applicable Y14, B46, and B89 standards. If product definition data were established the same year as a standard, the standard in existence the year prior to the approval date in the product definition data may be applicable. An exception to this requirement is when engineering documentation contains symbology unique to a specific edition of a standard shown in Table A-1. In this case, it shall be interpreted according to the specific edition when different than the edition in existence at the approval date in the product definition data.

6 ASA/ANSI/ASME B46 AND B89 STANDARDS

The reference to an USASI/ANSI/ASME Y14.5 Dimensioning and Tolerancing standard also invokes any applicable ASA/ANSI/ASME B46 standards on surface texture and applicable ANSI/ASME B89 standards. Unless otherwise specified in the product definition data, in a document referenced in the product definition data, or in a company measurement plan, the standard that existed at the date when the product definition data was first

¹See the Foreword for background information on this Standard.